

Supplementary Materials

Controlled-release cinnamon oil in flexible poly(lactic acid) films via mesoporous SBA-15 encapsulation


Kang Zhang^{1,2}, Hefeng Zhu¹, Dongliang Jin¹, Xinyi Han¹, Shengyi Yuan¹, Lin Hu², Hao Li^{1,*}, Yixiu Wang^{3,*}

¹Department of Chemistry and Chemical Engineering, Hunan Institute of Science and Technology, Yueyang 414006, Hunan, China.


²Nanhu College, Hunan Institute of Science and Technology, Yueyang 414006, Hunan, China.

³Department of Hepatic Surgery, Fudan University Shanghai Cancer Center, Shanghai 200032, China.

***Correspondence to:** Dr. Yixiu Wang, Department of Hepatic Surgery, Fudan University Shanghai Cancer Center, Shanghai 200032, China. E-mail: yixiuwang@fudan.edu.cn; Dr. Hao Li, Department of Chemistry and Chemical Engineering, Hunan Institute of Science and Technology, Yueyang 414006, Hunan, China. E-mail: lhao1010@126.com



Supplementary Figure 1. DSC curves of the PLA-based packaging films.



Supplementary Figure 2. Water contact angle of the PLA-based packaging films. Different letters represent statistically significant differences ($P < 0.05$).